



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and in accordance with the current certification process. It has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/6451/161/01/26/0145

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer: OIVIO LIMITED
Unit 10-13, 43/F, One Midtown, 11 Hoi Shing Road, Tsuen Wan,
Hong Kong
China

Description

PPE Type: an occupational footwear
Product reference: 689-024W ESSENTIAL MAX
Article code: BLACK Low Shoe, FULL BLACK Low Shoe, WHITE Low Shoe
Construction and material of outsole: Cemented, EVA + rubber Sole

Pictures:



Reference standard: EN ISO 20347:2022+A1:2024
Classification: I **Category:** O6 SR

Size range: 36-48

Toecap nature: N/A

Insert nature: N/A

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from JANUARY 2026 and the user instructions index version 2025-11-25.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

William GELAS
Certification manager

Date of first issue: 28 January 2026

Date of end of validity: 27 January 2031



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

OIVIO LIMITED

MANUFACTURER'S TECHNICAL FILE

Reference of the product: 689-024W ESSENTIAL MAX

Article code: BLACK Low Shoe, FULL BLACK
Low Shoe, WHITE Low Shoe

Technical file index: 01

Last update: JANUARY 2026

IDENTIFICATION

Reference of the product:	689-024W ESSENTIAL MAX
Article Code:	BLACK Low Shoe, FULL BLACK Low Shoe, WHITE Low Shoe
Technical file index :	01
Last update :	JANUARY 2026

Manufacturer

OIVIO LIMITED
Unit 10-13, 43/F, One Midtown, 11 Hoi Shing Road, Tsuen Wan, Hong Kong
China
Tel: (852) 2748 6592
Fax: (852) 2748 6445

Factory

DONGGUAN KT FOOTWEAR LTD
Room 301, 3rd Floor Triumphant International NO.14 East Houjie Avenue, Houjie Town,
Dongguan, Guangdong
China
Tel: 0769-81261523
Fax: /

FOOTWEAR DESCRIPTION

Footwear description

The classification of this footwear is I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear.

The design of this footwear is A : low shoe.

Visual description

General view :



WHITE Low Shoe



FULL BLACK Low Shoe



BLACK Low Shoe

Outsole view :



WHITE Low Shoe



FULL BLACK Low Shoe



BLACK Low Shoe

Reference of the mould : 289

Range of sizes

36-48

Construction and material of outsole

Cemented, EVA + rubber Sole

Field of use

healthcare, food service, retail, industrial

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable
§1	Requirements defined in the Annex II §1 are applicable to all PPE	☒
§1.4	Manufacturer's instructions and information is available	☒
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	☒
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	☒
§2.6	PPE is intended for use in potentially explosive atmospheres	☒
§2.9	PPE incorporating components which can be adjusted or removed by the user	☒
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	☒
§2.14	Multi-risk PPE	☒
§3.1.2.1	The PPE is intended to protect against falls due to slipping	☒
§3.3	The PPE is intended to protect against mechanical injuries	☒

FOOTWEAR CONSTITUTION

	Reference	Material	Color
UPPER	KT-U1	fly-knitted fabric	black, black/white
	KT-AS1	metallic eyelet	black/gold/white
	/	toe/counter - TPU coating	black, white
	/	tongue/eyelet stay - webbing	black/grey, white/grey
	/	collar back - webbing	black/silver, black/white
COLLAR	KT-U1	fly-knitted fabric	black, black/white
TONGUE	KT-T1	fly-knitted fabric	black, black/white
	/	binding	black, white
	/	plastic patch with brand	black, silver
VAMP LINING	KT-L2	fabric with waterproof membrane (sock lining)	black/grey
QUARTER LINING	KT-L2	low tongue/quarter/heel area lining - fabric with waterproof membrane (sock lining)	black/grey
	KT-L1	top tongue/collar lining - fabric	black
Membrane lining	/	waterproof membrane	white
INSOLE	KT-ISL1	non-woven board	pink
INSOCK	KT-ISK1	mesh + conductive fabric (back side of the forepart) + PU foam, non-perforated & removable	black + black/gold + red
OUTSOLE	289	EVA + rubber	white + black, black + black

PROTECTION SCOPE

Basic requirements

This product has been designed to be an occupational footwear.

The applicable basic requirements are detailed in the following standard(s):

- EN ISO 20347:2022+A1:2024 Occupational footwear

This product is a category II PPE.

At the date of the certificate, the product is in compliance with Annex XVII of the European REACH regulation (n° 1907/2006 and revisions)

Additional requirements

The claimed additional requirements are :

- Closed seat region
- Cleated outsole
- Antistatic footwear
- Energy absorption of seat region
- Water resistance of the whole footwear
- Slip resistance (ceramic tile with glycerine)
- Upper : Water penetration and absorption of upper material

MARKING - PACKAGING

Information marked on the footwear

- * Logo of the Manufacturer
- * Logo **CE**
- * Manufacturer's name or commercial brand
- * Manufacturer's postal address
- * Manufacturer's type designation
- * Size
- * At least year and month of footwear manufacture
- * The number and year of the applicable specific standard(s)
- * The appropriate codes of marking according to the applicable requirements and additional protection and performance claimed

Marking example



The location of the marking is : back side of the tongue

Method of marking on the footwear: print on back side of the tongue

Packaging

1 pair/box, 12 pairs/carton

References of test reports performed in order to verify the compliance with the requirements of the technical rules:

References
D250937065_1
D251041724_1

MEANS OF CONTROL

We control the quality of our products from development, we will test some important items, such as slip resistance, etc. when samples are finished. After all properties can meet the requirement, then we will put them into mass production.

We ask our raw material supplier to provide us good reports as proof. For example, lining material we need report for tear, abrasion and azo dyes. All reports must be in accordance with new standard EN ISO 20347:2022+A1:2024.

For each step when produce, relevant QC will make sure that the quality check must be performed strictly. From cutting, stitching, lasting, injection and cleaning. If some problems are found, we must solve them at once in order that the good quality shoes can be produced smoothly.

For quality control of mass products, our QC will pick up some finished shoes from warehouse at random and send them to testing company to perform outsole abrasion, bond strength and slip per each Batch.

Before shipment, we will ask our QC to carry out final inspection randomly. All goods can be delivered when the result of inspection is positive.

PPE subject to ageing :

The design performance of this product can be affected by ageing. The peremption period is estimated at 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear...).

Declaration of conformity :

The EU declaration of conformity can be accessed on the website: www.oiviofit.com