

EU TYPE EXAMINATION CERTIFICATE**n.: AC 26-80 rev.1**

In accordance with Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016,

CERTOTTICA Srl

Identification number 2008

Considering the application for EU type examination **D 2026-1800** submitted on **15/04/2026**

ATTESTS THAT

the following model of personal protective equipment

6X3Y

Presented by

Univet S.r.l.

Via Verdi, 11 24121 Bergamo (Bergamo) - Italia

Meets the applicable essential health and safety requirements.

The description of the model of personal protective equipment, references to standards, results of tests, and the description of the CE marking on the device are described on the next pages of this certificate.

Date of first issuance (dd/mm/yyyy):	22/04/2026
Renewal or revision date (dd/mm/yyyy):	23/04/2026
Expiration date (dd/mm/yyyy):	21/04/2031

Longarone	23/04/2026
-----------	------------

Scheme Manager
(Michele Perenzin)

1. Product description

Manufacturer	Univet s.r.l.
Manufacturer Address	Legal headquarters: Via Verdi 11 - 24121 - Bergamo - Italia Operative headquarters: Via Giovanni Prati No.87 - 25086 - Rezzato - Brescia - Italia
Authorized representative	-
Authorized Representative Address	-
Type PPE	Personal eye protector - Goggle
Field of application	Eye protection
Trademark	UNIVET
Name	6X3Y
Compliant with standard(s)	EN ISO 16321-1:2022
Category of membership	II
Notes	-

2. Levels of protection offered by the personal equipment, specific description of the PPE and notes:

Applicable standards:

EN ISO 16321-1:2022 - Eye and face protection for occupational use - Part 1: General requirements

Product variants:

Variant	Code
Goggle with transparent polycarbonate lenses with UV filter function and green/gray frame	6X3Y.00.00.00
Goggle with transparent polycarbonate lenses with UV filter function and red/gray frame	6X3Y.00.50.00
Goggle with transparent polycarbonate lenses with UV filter function and black/gray frame	6X3Y.00.60.00
Goggle with green G15 polycarbonate lenses with UV and solar filter function with black/gray frame	6X3Y.00.60.05

PPE description:

The present EU type-examination certificate is the first revision of the one issued by Certottica on 22/04/2026 with number AC 26-80. This first revision updates some typos.

Personal eye-protector composed of a single lens (lens that cover both eyes) in Polycarbonate (PC) assembled on a frame in High-Density Polyethylene (HDPE) with indirect ventilation insert made of PC. Headband is in Polyethylene Terephthalate (PET) + Latex, headband hook is in Polycarbonate (PC), headband sliders are in Polyoxymethylene (POM) and frame over moulding is in Thermoplastic Elastomer (TPE). Chin-guard accessories are in Polycarbonate (PC).

Eye protector model 6X3Y is designed to fit a headform with size 1-M, it is provided in three frame colorations (Green/Gray, Red/Gray and Black/Gray) and it has two lens variants:

- Clear lens, mounted on variant codes 6X3Y.00.00.00, 6X3Y.00.50.00 and 6X3Y.00.60.00: Ultraviolet protective filters with enhanced optical performance; High-speed impact resistance at extremes of temperatures (impact level D); resistance to surface damage due to flying fine particle; resistance to fogging; protection against droplets; streams of liquids; large dust particles.
- Green G15 lens, code 6X3Y.00.60.05: Ultraviolet protective filters and sunglare filters for occupational use with enhanced optical performance; High-speed impact resistance at extremes of temperatures (impact level D); resistance to surface damage due to flying fine particle; resistance to fogging; protection against droplets; streams of liquids; large dust particles.

Eye protector model 6X3Y has three different coloured chin-guards as accessory: Transparent Chin-guard (codes 6X3FY.04.00 and 6X3FY.05.00) and Smoke-coloured Chin-guard (code 6X3FY.01.00). Chin-guards have been tested for High-speed impact resistance at extremes of temperatures (impact level D).

Eye protector model 6X3Y has the following replacement parts:

- Clear spare lens (code 042117Y), that it has the aforementioned characteristics of Clear lens;
- Green G15 spare lens (code 042119Y), that it has the aforementioned characteristics of Green G15 lens.

Main dimensions of the PPE, including sizes and weight

Height x Width x Length (mm): 83 x 175 x 86

Weight (g): 81

The performance level(s) or the protection class(es) of the PPE:

Frame - Mechanical performances:

- high-speed impact resistance at extremes of temperature, impact level D *[all variants - marking symbol "DT"]*.
- protection against droplets *[all variants - marking symbol "3"]*.
- protection against large dust particles *[all variants - marking symbol "4"]*.
- protection against streams of liquids *[all variants - marking symbol "6"]*.

Ocular - Mechanical performances:

- high-speed impact resistance at extremes of temperature, impact level D *[all lens variants - marking symbol "DT"]*.
- resistance to surface damage due to flying fine particle *[all lens variants - marking symbol "K"]*.
- resistance to fogging of lenses *[all lens variants - marking symbol "N"]*.

Frame - Optical Performances:

- Ultraviolet filter protection *[all variants - marking symbol "U3"]*.
- Sunglare filters for occupational use *[all variants - marking symbol "G3"]*.

Ocular - Optical Performances:

- Ultraviolet protective filters *[Clear lens - marking symbol "UL1,2", Green G15 lens - marking symbol "UL3"]*.
- Sunglare filters for occupational use *[Green G15 lens variants - marking symbol "GL3"]*.
- enhanced optical performance *[all lens variants - marking symbol 1]*.



3. Test results and test examinations are covered by the following test reports

CERTOTTICA Srl	TR25-2875-1	26/09/2025
CERTOTTICA Srl	TR25-2875-2	26/09/2025
CERTOTTICA Srl	TR25-2875-3	26/09/2025
CERTOTTICA Srl	TR25-5085-1	18/12/2025
CERTOTTICA Srl	TR25-5085-2	18/12/2025

4. Marking

Image 1

Lens variant	Ocular Marking		Frame Marking	
	Marking	Position	Marking	Position
Clear	U UL 1,2 DT 1 K N	On the upper part of the lens, in central position	16321 U U3 G3 DT 3 6 4 CE	In the lower part of frame, in lateral right position
Green G15	U UL3 GL3 DT 1 K N			

NOTE:

- ✓ U is the manufacturer's identification symbol;
- ✓ CE marking is 5 mm high;
- ✓ right and left positions are defined with the eye-protector worn.

Images of complete PPE



Cod. 6X3Y.00.00.00



Cod. 6X3Y.00.60.05



Cod. 6X3FY.01.00



Cod. 6X3FY.04.00



Cod. 6X3FY.05.00

Terms and conditions under which the Certificate is issued

Certottica SCRL

Zona Industriale Villanova 7/a 32013 Longarone (BL)
Tel: +39 0437 573157 - www.certottica.it



Page 4 / 5

EU type-examination certificate no AC 26-80 rev. 1
Dated 23/04/2026

- a) Marking and instructions were examined in English. Language versions other than the one specified above are under the complete responsibility of the Manufacturer or of his Authorised Representative.
- b) Any variation to the product, to the technical file or, in the provided cases, to the manual or to the quality control procedures, shall be notified in time to CERTOTTICA.
- c) The Manufacturer or his Authorised Representative shall respect the procedures and the regulations provided by CERTOTTICA for the EU Certification.
- d) Copies of this Certificate, supplied to third parties, shall be reproduced in their entirety.
- e) The present Certificate shall be carefully kept by the Manufacturer to be shown, on request, to the Organism of control or to the Vigilance Administration.
- f) The present Certificate remains property of CERTOTTICA, which can ask for it back if some of the above mentioned conditions are not respected.
- g) Any subsequent revision of the present document automatically deletes and replaces it from the date of issue of the revised certificate (the start of validity, that is the renewal or revision date included at page 1 of this Certificate).
- h) The present document can include only a limited description of the product under certification; for a more detailed description, please refer to the correspondent Technical Documentation.

End of the Certificate