



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/780/162/05/21/0837


Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD
1508 Huahong Business Center, No.5 Lane 388, Daduhe Road,
Putuo District, Shanghai
China

Description

PPE Type : *protective glove against mechanical risks*
Product reference : N10556
Article code : /
Glove description : 13G black nylon liner, black PU palm coated glove.
Available sizes : 6"/XS-12"/XXXL

Pictures :



Order No. : 000000

XX/XXXX

SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD
1508 Huahong Business Center, No.5 Lane 388, Daduhe
Road, Putuo District, Shanghai 200062, China

Reference standard :

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.
« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020

-

EN 388:2016 + A1:2018

4 1 3 1 X

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from May 2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISADO
Certification and Quality Manager

Date of first issue : 10 May 2021
End of validity date : 10 May 2026



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	N10556
Article code	:	/
Technical file index	:	01
Last update	:	May 2021

IDENTIFICATION

Reference of the product :	:	N10556
Article code :	:	/
Basic Model		
Technical file index :	:	01
Last update :	:	May 2021

Manufacturer :

SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD
1508 Huahong Business Center, No.5 Lane 388, Daduhe Road, Putuo District,
Shanghai
China
tel : 021-31269888
fax :

Factory :

SELECT (NANTONG) SAFETY PRODUCTS CO LTD
198 Youyi Road (W), Juegang, Rudong, Jiangsu Province, 226400
China
tel: 86-0513-84108999
fax: 86-0513-84131111

GLOVE DESCRIPTION

General glove description and intended use:

13G black nylon liner, black PU palm coated glove.

This glove is designed against mechanical risks.

Type of coating finish : smooth

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	☒	☒ Standard ☒ Instruction for use ☒ Marking
§1.4	Manufacturer's instructions and information is available	☒	☐ Standard ☒ Instruction for use ☐ Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	☒	☐ Standard ☒ Instruction for use ☒ Marking
§2.5	PPE which may be caught up during use	☒	☐ Standard ☒ Instruction for use ☐ Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	☒	☒ Standard ☒ Instruction for use ☒ Marking
§3.3	The PPE is intended to protect against mechanical injuries	☒	☒ Standard ☒ Instruction for use ☒ Marking

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m ²)	Gauges	Thickness
Palm		black	nylon	163g/m ²	13G	
		black	PU			0.6mm
Back		black	nylon	163g/m ²	13G	
Cuff		black	nylon/elastic	310g/m ²	13G	
Binding		6"/XS-pink 7"/S-white 8"/M-green 9"/L-grey 10"/XL-yellow 11"/XXL-brown 12"/XXXL-black	polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Dexterity : 5

Available size range: 6"/XS-12"/XXXL

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388 : 2016 + A1 : 2018

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm.

TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	S170302479_1 S190100413_1 S210100361_1 S210201328_1	
EN 388	S170302479_1 S210201328_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : N10556

Article Code : /

Size indicator

Pictograms related to risks against which protection is offered with performance levels


Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or serial/batch number :

Date of obsolescence (month/year) if applicable:

Marking example :




Order No. :000000

 XX/XXXX

SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD

1508 Huahong Business Center, No.5 Lane 388, Daduhe
Road, Putuo District, Shanghai 200062, China

Marking of packaging example :



Method of marking on the glove :

print on the hand back and label

Packaging suitable for transport:

1 PAIR/POLYBAG

PPE subject to ageing :

Peremption period : five years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

Cleaning instructions:

The gloves are not washable.

MEANS OF CONTROL	
1	1.1
2	2.1
3	3.1
4	4.1
5	5.1
6	6.1
7	7.1
8	8.1
9	9.1
10	10.1
11	11.1
12	12.1
13	13.1
14	14.1
15	15.1
16	16.1
17	17.1
18	18.1
19	19.1
20	20.1
21	21.1
22	22.1
23	23.1
24	24.1
25	25.1
26	26.1
27	27.1
28	28.1
29	29.1
30	30.1
31	31.1
32	32.1
33	33.1
34	34.1
35	35.1
36	36.1
37	37.1
38	38.1
39	39.1
40	40.1
41	41.1
42	42.1
43	43.1
44	44.1
45	45.1
46	46.1
47	47.1
48	48.1
49	49.1
50	50.1
51	51.1
52	52.1
53	53.1
54	54.1
55	55.1
56	56.1
57	57.1
58	58.1
59	59.1
60	60.1
61	61.1
62	62.1
63	63.1
64	64.1
65	65.1
66	66.1
67	67.1
68	68.1
69	69.1
70	70.1
71	71.1
72	72.1
73	73.1
74	74.1
75	75.1
76	76.1
77	77.1
78	78.1
79	79.1
80	80.1
81	81.1
82	82.1
83	83.1
84	84.1
85	85.1
86	86.1
87	87.1
88	88.1
89	89.1
90	90.1
91	91.1
92	92.1
93	93.1
94	94.1
95	95.1
96	96.1
97	97.1
98	98.1
99	99.1
100	100.1

We usually inspect the product quality as per the ISO9001 provisions .The production line is monitored by the supervisors in the work hours, and each order will be double checked by a QC inspector before the shipment . All the products are certified by CTC Asia Ltd ,what'smore,we will send the samples to CTC to be-retested on a quarterly basis.

In the factory, we usually inspect the product quality as per the ISO 9001 provisions. We will check the relative raw materials for the product first of all. After that, we also check the quality in the product process. If we found some mistake in this step, we will stop the produce and amend it. It was monitored by the QC in the working hours. We will take out the samples to inspect. According to the CE standard, we would inspect sizing, Blade cut resistance, abrasion based on EN 388 on the final product, in our laboratory which we can do. Then, Before each shipment total 3 times to check the quality all-sided. Meanwhile, we also sent the sample to Shanghai office which they will sent to CTC Asia Ltd make testing once a year. On the other side, we also examine and repair machines and our staff will trained by the factory.



Certificate of Registration

质量管理体系 - ISO 9001:2015

蔡证明: 赛立特(南通)安全用品有限公司
 91320623783393232N
 中国
 江苏省
 南通市
 如东县经济开发区
 友谊南路198号
 邮编: 226400

Select (Nantong) Safety Products Co., Ltd.
No. 198, West Youyi Road
Rudong Economic Development Zone
Nantong City
Jiangsu
226400
China

持有证书: **FM 598721**

并运行符合 ISO 9001:2015 要求的质量管理体系, 认证证书如下。

一般安全防护手套的制造。
The manufacture of general safety gloves.

Chris Cheung, 亚太地区 合规风控主管

首次发证日期: 2013-07-17
最新发证日期: 2019-06-20

生效日期: 2019-07-17
有效期至: 2022-07-16

Page: 1 of 1



...making excellence a habit™

[illegible]

联系香港最方便方式: BSL K10mark Court, Davy Avenue, Kowloon, MTR Kwai Yee Station HK5 0PP. 电话: +44 345 080 9300
 BSL英国分公司地址: 伦敦总行: 地址: 389 Chiswick High Road, London W4 4AL, UK
 新加坡分公司地址: (北京) 新加坡分公司: 地址: 1111 North Bridge Road #20-01 110004 电话: +65 10 850/3000
 BSL 集团成员:

INSTRUCTION FOR USE

SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD

1508 Huahong Business Center, No.5 Lane 388, Daduhe Road, Putuo District, Shanghai
China

Glove reference : N10556
Article code: /
User notice index : 01
Last update : May 2021

Order No. :000000

XX/XXXX

SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD
1508 Huahong Business Center, No.5 Lane 388, Daduhe
Road, Putuo District, Shanghai 200062, China

Glove description :


13G black nylon liner,black PU palm coated glove.

This glove is a personal protective equipment belonging to the category II.

It meets the requirements of the PPE Regulation 2016/425 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE



Applicable standards :

The glove meets the requirements of the standard EN ISO 21420:2020 « Protective Gloves - General requirements and test methods ».

Dexterity: 5

Available size range: 6"/XS-12"/XXXL

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B.

Moreover, this glove has been designed for the following applications :

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Application :

Mechanical hazard - EN 388:2016 +
A1:2018



4 1 3 1 X

Levels of performance



Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	3	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	X	(A to F)
Impact Protection		

Read carefully the instructions for use provided with the product

Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

Before use, the glove shall be visually inspected for any defect or imperfections. In case of deterioration, the gloves must be scrapped (abrasion, cut, tear, ...).

No flame protection is claimed. This glove shall not be in contact with naked flame.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

The levels of performance against mechanical risks are only valid for the palm of the glove.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

The gloves are not washable.

PPE subject to ageing :

Peremption period : five years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available with product.