



# EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.



**Certificate N°** 0075/780/162/02/20/0525

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :** SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD  
1508 Huahong Business Center, No.5 Lane 388, Daduhe Road, Putuo District, Shanghai  
China

## Description

**PPE Type :** *protective glove against mechanical risks*  
**Product reference :** N10550  
**Article code :** /  
**Glove description :** 13G white nylon liner, white PU coated on the palm glove.  
**Available sizes :** 6/XS 7/S 8/M 9/L 10/XL 11/XXL  
**Pictures :**



Order No. : 000000

XX/XXXX

SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD  
1508 Huahong Business Center, No.5 Lane 388,  
Daduhe Road, Putuo District, Shanghai.

**Reference standard :**

**Levels of performance / class of protection**

**EN 420:2003+A1:2009**

-

**EN 388:2016**

**4 1 3 1 X**

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from FEBRUARY, 2020

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

**Issued in Lyon by**  
Maxence DREVET  
Project Certification Manager

**Date of first issue :** 24 February 2020  
**End of validity date :** 24 February 2025



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594  
Scope available on:  
www.cofrac.fr

[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

**SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD**

## **MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425**

|                                 |          |                       |
|---------------------------------|----------|-----------------------|
| <b>Reference of the product</b> | <b>:</b> | <b>N10550</b>         |
| <b>Article code</b>             | <b>:</b> | <b>/</b>              |
| <b>Technical file index</b>     | <b>:</b> | <b>01</b>             |
| <b>Last update</b>              | <b>:</b> | <b>FEBRUARY, 2020</b> |

## IDENTIFICATION

|                            |   |                |
|----------------------------|---|----------------|
| Reference of the product : | : | N10550         |
| Article code :             | : | /              |
| Basic Model                |   |                |
| Technical file index :     | : | 01             |
| Last update :              | : | FEBRUARY, 2020 |

### **Manufacturer :**

SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD

1508 Huahong Business Center, No.5 Lane 388, Daduhe Road, Putuo District, Shanghai

China

tel : 86-021-31269888

fax : 86-021-52690110

### **Factory :**

SELECT (NAN TONG) SAFETY PRODUCTS CO LTD

198 Youyi Road (W), Juegang, Rudong, Jiangsu Province, 226400

China

tel: 86-0513-84108999

fax: 86-0513-84131111

## GLOVE DESCRIPTION

### General glove description :

13G white nylon liner, white PU coated on the palm glove.  
type of coating finish : smooth

### Visual description (picture back and palm sides) :



### Field of use

Construction / mine / machine / transport / automotive mount / electronic industry / maintain for mechanical risks

| Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation) |                                                                                                                                                                                                                                                                                                    |                                     |                                                                                                                                                        |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                      |                                                                                                                                                                                                                                                                                                    | Applicable                          | Covered by                                                                                                                                             |
| §1                                                                                   | Requirements defined in the Annex II §1 are applicable to all PPE                                                                                                                                                                                                                                  | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard<br><input checked="" type="checkbox"/> Instruction for use<br><input checked="" type="checkbox"/> Marking |
| §1.4                                                                                 | Manufacturer's instructions and information is available                                                                                                                                                                                                                                           | <input checked="" type="checkbox"/> | <input type="checkbox"/> Standard<br><input checked="" type="checkbox"/> Instruction for use<br><input type="checkbox"/> Marking                       |
| §2.4                                                                                 | If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging. | <input checked="" type="checkbox"/> | <input type="checkbox"/> Standard<br><input checked="" type="checkbox"/> Instruction for use<br><input checked="" type="checkbox"/> Marking            |
| §2.5                                                                                 | PPE which may be caught up during use                                                                                                                                                                                                                                                              | <input checked="" type="checkbox"/> | <input type="checkbox"/> Standard<br><input checked="" type="checkbox"/> Instruction for use<br><input type="checkbox"/> Marking                       |
| §2.12                                                                                | PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety                                                                                                                                                                                 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard<br><input checked="" type="checkbox"/> Instruction for use<br><input checked="" type="checkbox"/> Marking |
| §3.3                                                                                 | The PPE is intended to protect against mechanical injuries                                                                                                                                                                                                                                         | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard<br><input checked="" type="checkbox"/> Instruction for use<br><input checked="" type="checkbox"/> Marking |

### Available sizes :

| Minimum length of glove (mm) | Sizes  |
|------------------------------|--------|
| 220                          | 6/XS   |
| 230                          | 7/S    |
| 240                          | 8/M    |
| 250                          | 9/L    |
| 260                          | 10/XL  |
| 270                          | 11/XXL |

## **Glove constitution :**

|         | Reference | Color                                                       | Material        | Surfacic mass | Gauges | Thickness |
|---------|-----------|-------------------------------------------------------------|-----------------|---------------|--------|-----------|
| Palm    |           | white                                                       | PU              |               |        | 0.6mm     |
|         |           | white                                                       | nylon           | 180g/m2       | 13     |           |
| Back    |           | white                                                       | nylon           | 180g/m2       | 13     |           |
| Cuff    |           | white                                                       | nylon / elastic | 330g/m2       | 13     |           |
| Binding |           | pink /<br>white /<br>green /<br>grey /<br>yellow /<br>brown | polyester       |               |        |           |

## **PROTECTION SCOPE**

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.  
This glove is designed against mechanical risks.

It is a category II product.

## **GENERAL REQUIREMENTS**

### **Standard EN 420 : 2003 + A1 : 2009**

Dexterity : 5

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

## **SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS**

### **Mechanical hazard EN 388 : 2016**

| Protection offered                   | Performance levels |
|--------------------------------------|--------------------|
| Abrasion resistance                  | 4                  |
| Blade cut resistance                 | 1                  |
| Tear strength resistance             | 3                  |
| Puncture resistance                  | 1                  |
| Cut Resistance method (EN ISO 13997) | X                  |
| Impact Protection                    | -                  |

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

## TEST REPORTS

| Laboratory             | CTC                                                          | Other |
|------------------------|--------------------------------------------------------------|-------|
| EN 420 + innocuousness | S170201246_2<br>S190709195_1<br>S190100413_1<br>S190100404_1 |       |
| EN 388                 | S170201246_2<br>S190607885_1                                 |       |

## MARKING - PACKAGING

### Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : N10550

Article Code : /

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

### Marking example :



### Method of marking on the glove :

print on the back and label

### Packaging :

1 pairs/polybag , 72pairs /carton

### PPE subject to ageing :

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

### Declaration of conformity :

Available with product.

## MEANS OF CONTROL

In the factory, we usually inspect the product quality as per the ISO 9001 provisions. We will check the relative raw materials for the product first of all. After that, we also check the quality in the product process. If we found some mistake in this step, we will stop the produce and amend it. It was monitored by the QC in the working hours. We will take out the samples to inspect. According to the CE standard, we would inspect sizing, Blade cut resistance, abrasion in our laboratory which we can do for every year. Then, Before each shipment total 3 times to check the quality all-sided. Meanwhile, we also sent the sample to Shanghai office which they will sent to CTC Asia Ltd make testing. On the other side, we also examine and repair machines and our staff will trained by the factory.



# Certificate of Registration

质量管理体系 - ISO 9001:2015

兹证明:

赛立特(南通)安全用品有限公司  
91320623783393233N  
中国  
江苏省  
南通市  
如东县经济开发区  
友谊西路198号  
邮编: 226400

Select (Nantong) Safety Products Co., Ltd  
No. 198, West Youyi Road  
Rudong Economic Development Zone  
Nantong City  
Jiangsu  
226400  
China

持有证书:

**FM 598721**

并运行符合 ISO 9001:2015 要求的质量管理体系, 认证范围如下:

一般安全防护手套的制造。  
The manufacture of general safety gloves.

BSI代表:

Chris Cheung, 亚太地区 合规风险主管

首次发证日期: 2013-07-17

最新发证日期: 2019-06-20

生效日期: 2019-07-17

有效期至: 2022-07-16

Page: 1 of 1



...making excellence a habit™

此证书以电子版方式发放, 所有权属BSI并受合同条款的约束。

可以 [在线](#) 查询电子证书的有效性。

打印的证书可以通过网站 <http://www.bsi-global.com/ClientDirectory> 或者致电 +86 10 8507 3000 查询。本证书信息亦可在国家认证认可监督管理委员会官方网站 [www.cnca.gov.cn](http://www.cnca.gov.cn) 上查询。

关于证书范围及 ISO 9001:2015 要求适用性的进一步说明请咨询BSI。

获证组织必须定期接受监督审核并获合格证书方继续有效。

此证书只在提供完整正本时才有效。

信息咨询及联系方式: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. 电话: +44 345 080 9000  
BSI(英国)有限公司, 注册编号7805321, 地址: 389 Cheswick High Road, London W4 4AL, UK  
英标管理体系认证(北京)有限公司, 北京市建国门外大街24号东沙中心2008室 邮编: 100004 电话: +86 10 85073000  
BSI(中国)公司成员。

## INSTRUCTION FOR USE

### SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD

1508 Huahong Business Center, No.5 Lane 388, Daduhe Road, Putuo District, Shanghai  
China

Glove reference : N10550

Article code: /

User notice index : 01

Last update : FEBRUARY, 2020

Available sizes : 6/XS 7/S 8/M 9/L 10/XL 11/XXL

Order No. : 000000

XX/XXXX

SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD

1508 Huahong Business Center, No.5 Lane 388,

Daduhe Road, Putuo District, Shanghai.



#### Glove description :

13G white nylon liner, white PU coated on the palm glove.

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21st, 2018 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)

4, rue Hermann Frenkel

69367 LYON Cedex 07

FRANCE

#### Applicable standards :

The glove meets the requirements of the standard EN 420 : 2003 + A1 : 2009 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :

#### Application :

Mechanical hazard - EN 388 : 2016



4 1 3 1 X

Levels of performance

|                                      |   |             |
|--------------------------------------|---|-------------|
| Abrasion resistance                  | 4 | (on 4 maxi) |
| Blade cut resistance                 | 1 | (on 5 maxi) |
| Tear resistance                      | 3 | (on 4 maxi) |
| Puncture resistance                  | 1 | (on 4 maxi) |
| Cut Resistance method (EN ISO 13997) | X | (A to F)    |
| Impact Protection                    |   |             |

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

#### Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

The levels of performance mentioned are only valid for the palm of the glove.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire

Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

For gloves with different layers of material, the performance levels are warranted only for the whole glove.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

#### Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

#### PPE subject to ageing :

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

#### Declaration of conformity :

Available with product.