

EU TYPE-EXAMINATION CERTIFICATE

Regulation (EU) 2016/425, MODULE B

0598/PPE/24/3560 Issue 1

Product Safety Footwear

Model Low shoe, style No. 64.750.0, 64.750.2, 64.751.0, 64.662.0, 64.666.0, 64.673.0, 64.752.0, 64.752.8

Trademark -

Certificate Holder / Manufacturer ISM GmbH
Koggenweg 1, D-59557, Lippstadt, Germany

Product complies with the applicable essential health and safety requirements of Regulation (EU) 2016/425 and standard(s) mentioned below

Standard(s) EN ISO 20345:2022 (Personal protective equipment – Safety footwear) Class I footwear, with a performance category of S1, with additional applications: PS, HRO, SR & FO.

Other Information

Validity This certificate is valid until 2029-06-26.

Date of issue 2024-06-26


SGS Fimko Ltd

Signature



Stephanie Mackenzie

SGS Fimko Ltd is a Notified Body (0598) according to the Personal Protective Equipment Regulation (EU)



Additional information

- a) ISM GmbH, style No. 64.750.0, low shoe: Design A, comprising of composite toecap, anti-penetration insole board, black/blue polyester jacquard and TPU upper, black polyester sandwich mesh tongue, black/blue jacquard collar, black polyester mesh vamp lining, quarter lining, tongue lining and collar lining, black polyester microfiber counter lining, black polyester mesh and EVA insock, impulse foam/rubber sole, black polyester lace up closure, sewn with black polyester threads, which are available in size range: EUR 36-48;
- b) ISM GmbH, style No. 64.750.2, low shoe: Design A, comprising of composite toecap, anti-penetration insole board, black/blue polyester jacquard and TPU upper, black polyester sandwich mesh tongue, black/blue jacquard collar, black polyester mesh vamp lining, quarter lining, tongue lining and collar lining, black polyester microfiber counter lining, black polyester mesh and EVA insock, impulse foam/rubber sole, spinon closure system, sewn with black polyester threads, which are available in size range: EUR 36-48;
- c) ISM GmbH, style No. 64.751.0, low shoe: Design A, comprising of composite toecap, anti-penetration insole board, blue/orange polyester jacquard and TPU upper, black polyester sandwich mesh tongue, blue/orange jacquard collar, orange polyester mesh vamp lining, quarter lining, tongue lining and collar lining, black polyester microfiber counter lining, black polyester mesh and EVA insock, impulse foam/rubber sole, blue polyester lace up closure, sewn with blue polyester threads, which are available in size range: EUR 36-48;
- d) ISM GmbH, style No. 64.662.0, low shoe: Design A, comprising of composite toecap, anti-penetration insole board, black/blue polyester mesh upper and collar, black polyester sandwich mesh tongue, black polyester mesh vamp lining, quarter lining, tongue lining and collar lining, black polyester microfiber counter lining, black polyester mesh and EVA insock, impulse foam/rubber sole, black polyester lace up closure, sewn with black polyester threads, which are available in size range: EUR 36-48;
- e) ISM GmbH, style No. 64.666.0, low shoe: Design A, comprising of composite toecap, anti-penetration insole board, black/grey polyester mesh upper and collar, black polyester sandwich mesh tongue, grey polyester mesh vamp lining and quarter lining, black polyester microfiber counter lining, black polyester mesh tongue lining and collar lining, black polyester mesh and EVA insock, impulse foam/rubber sole, black polyester lace up closure, sewn with black polyester threads, which are available in size range: EUR 36-48;
- f) ISM GmbH, style No. 64.673.0, low shoe: Design A, comprising of composite toecap, anti-penetration insole board, black/green polyester flyknit upper and collar, black polyester mesh vamp lining, quarter lining, tongue lining and collar lining, black polyester microfiber counter lining, black polyester mesh and EVA insock, impulse foam/rubber sole, black polyester lace up closure, sewn with black polyester threads, which are available in size range: EUR 36-48;

Additional information Cont.

g) ISM GmbH, style No. 64.752.0, low shoe: Design A, comprising of composite toecap, anti-penetration insole board, black polyester sandwich mesh and polyester microfiber upper, black polyester sandwich mesh tongue, blue elastic mesh collar, blue polyester mesh vamp lining, tongue lining and collar lining, blue polyester mesh and black polyester mesh quarter lining, black polyester microfiber counter lining, black polyester mesh and EVA insock, impulse foam/rubber sole, black polyester lace up closure, sewn with black polyester threads, which are available in size range: EUR 36-48;

h) ISM GmbH, style No. 64.752.8, low shoe: Design A, comprising of composite toecap, anti-penetration insole board, black polyester sandwich mesh and polyester microfiber upper, black polyester sandwich mesh tongue, blue elastic mesh collar, blue polyester mesh vamp lining, tongue lining and collar lining, blue polyester mesh and black polyester mesh quarter lining, black polyester microfiber counter lining, black polyester mesh and EVA insock, impulse foam/rubber sole, spinon closure system, sewn with black polyester threads, which are available in size range: EUR 36-48.

Contract No: GSL-CERT240500160-01 / GB-202405005853.

Technical File: 64.750.0, 64.750.2, 64.751.0, 64.662.0, 64.666.0, 64.673.0, 64.752.0, 64.752.8, Version 1, Dated: 2024/06/21.

Detailed Characteristics:

Classification: Class I;

Closure System: a), c), d), e), f) & g) Lace up, b) & h) Spinon closure system;

Construction: Cemented;

Last Reference: 1093B;

Mould Reference: ASD5302 Impulse Foam/RB;

Size(s) Range: EUR 36-48.